

AV COLLECTION

Established in 2008

ABOUT US

ProofVision is a leading manufacturer of waterproof electronics who specialise in providing high quality, innovative products.

This includes a wide range of Bathroom and Outdoor TVs which are suitable for both home and commercial installation projects.

Established in 2008, the company has a wealth of experience in waterproof electronics we are also able to offer bespoke solutions for those customers who need a specific design and specification.

Start your ProofVision journey here and if you have any questions, our friendly and knowledgeable London-based customer service team is available at sales@proofvision.co.uk or on +44 (0) 203 4111 693.

WHY PROOFVISION?

High quality, innovative products


10+ years experience in waterproof electronics


Friendly and knowledgeable London-based customer service team

Designed and assembled in the UK

Constantly innovating and bringing you exciting and ground breaking products

PREMIUM BATHROOM TELEVISION RANGE






Size	Front frame (mm)				Back mounti	ng box (mm)		
	А	В	С	D	Е	F	G	Н
19"	490	335	4	450	238	474	318	47
24"	595	397	4	510	285	580	380	47
27"	685	454	6	625	368	643	438	50
32"	777	508	4	700	395	760	492	53
43''	1031	661	4	943	531	1006	635	57











Model: PV19BF-A

> SMART TV



PV24BF-A

Model: PV27BF-A



Model: PV32BF-A







Model:













PROFESSIONAL BATHROOM TELEVISION RANGE


Our Professional range follows the same sleek design of the Premium models, but offers extra connectivity through RS232; the perfect choice for your home integration needs. (Optional RS232 over IP control module available).











Model: PV24BF-232

Model: PV27BF-232

Model: PV32BF-232

Model: PV43BF-232

Model: PV55BF-232











BATHROOM TELEVISION ACCESSORIES



Lithe Audio IP44 Rated Bluetooth Ceiling Speaker Single - PV01572 Pair - PV01573



Remote Control Holder REMOTEHOLDER



DC Extension DCEXT



Extra Remote for Bathroom TVs PVRC02





THE AIRE PLUS OUTDOOR TV RANGE



High Definition (HD) display



4K Ultra HD on 43" 55", 65" & 75"



Anti-reflective screen



Eco-friendly power timer



Full HD TV tuner



Standard VESA mounting



Readable in sunlight



IP65 rated



Multiple audio/video inputs



Commercial LG LED panels



High brightness panels



LED backlight



Plug and play



Wide 178 / 178 degrees viewing angle



2 year warranty



IDEAL FOR...



Gardens



Bars & pubs



Indoor / outdoor swimming areas



Super yachts



Theme parks



Shopping centres

THE AIRE PLUS OUTDOOR TV RANGE



Available as: **Smart TV** RS232

FANLESS OUTDOOR ENCLOSURE

The unit is made of aluminium avoiding the need for noisy fans like other products on the market. Our system uses a unique fanless temperature control system.

ANTI-REFLECTIVE SCREEN AND HIGH BRIGHTNESS PANEL

With the powerful 1500cd/m2 brightness screen you are able to view in direct sunlight. There is also an anti-glare covering on the front of the screen to prevent glare on a bright sunny day.

SUPER SLIM DESIGN

With a depth from just 69mm and a weight 50% lighter than the average outdoor screen, we offer one of the most compact and attractive solutions on the outdoor market.

IG FULL HD LFD COMMERCIAL PANEL

The LED panels we use are from one of the most respected manufacturer of LED panels in the world ensuring we deliver the most reliable and best product on the market to our customers.

Max resolution 43" PV43AP PV45AP PV55AP PV55A						
Aspect ratio 16:9 16:9 16:9 16:9 16:9 VESA standard 700 x 200mm 700 x 200mm 700 x 400mm 700 x 400mm 800mm x 400mm Contast ratio 4500:1 6000:1 7000:1 6000:1 3000:1 Brightness 1500 cd/m2 1500 cd/m2 </th <th></th> <th></th> <th></th> <th></th> <th></th> <th></th>						
VESA standard 700 x 200mm 700 x 200mm 700 x 400mm 700 x 400mm 800mm x 400mm Contrast ratio 4500:1 6000:1 7000:1 6000:1 3000:1 Brightness 1500 cd/m2 1700 cd/m2 1500 cd/m2 1700 cd/m2 17	Max resolution	3840 x 2160	3840 x 2160	3840 x 2160	3840 x 2160	3840 x 2160
Contrast ratio 4500:1 6000:1 7000:1 6000:1 3000:1 Brightness 1500 cd/m2 150	Aspect ratio	16:9	16:9	16:9	16:9	16:9
Brightness 1500 cd/m2 1700 c	VESA standard	700 x 200mm	700 x 200mm	700 x 400mm	700 x 400mm	800mm x 400mm
Max power consumption ≤150W ≤180W ≤200W ≤200W ≤170W 1971.4mm x 11714 x 1007 x 87mm 1971.4mm x 1143.2mm x 1143.2mm x 1143.2mm x 1143.2mm x 1143.2mm x 1141.6mm 1141.6mm x 1141.6mm x 1141.6mm x 1141.6mm x 1141.6mm x 141.6mm x </th <th>Contrast ratio</th> <th>4500:1</th> <th>6000:1</th> <th>7000:1</th> <th>6000:1</th> <th>3000:1</th>	Contrast ratio	4500:1	6000:1	7000:1	6000:1	3000:1
TV dimension 974 x 584 x 66mm 1272 x 755 x 77mm 1511 x 904 x 90mm 1714 x 1007 x 87mm 11971.4mm x 1143.2mm x 1143.2mm x 1143.2mm x 1143.2mm x 1141.6mm Weight 20kg 29kg 39kg 54kg 70kg Signal Input DVB-C/S/T2 TV format 1080p HDMI 3 PCS x 3 RF IPC Optical Audio out 1 PC Audio Amplifier Built-in 2x 40 watt amplifier to drive external speakers Power input range AC 110 – 240V TV systems PAL Built-in triple tuner PAL Wiewing angle 1 PC Waterproof remote control Butteries IPC User manual IPC Cl card Yes User manual IPC User manual IPC User manual IPC	Brightness	1500 cd/m2	1500 cd/m2	1500 cd/m2	1500 cd/m2	1500 cd/m2
TV dimension 974 x 584 x 66mm 1272 x 755 x 77mm 1511 x 904 x 90mm 1714 x 1007 x 87mm 1143.2mm x 141.6mm Weight 20kg 29kg 39kg 54kg 70kg Signal Input DVB-C/S/T2 TV format 1080p HDMI 3PCS x3 RF IPC USB 1PC Audio Amplifier Built-in 2x 40 was tramplifier to drive extend speakers Power input range TPAL TV systems PAL Built-in friple tuner Yes Viewing angle TIPC Waterproof remote control IPC Waterproof remote control IPC User manual TIPC Cl card Yes User manual TIPC User manual Yes User manual Yes	Max power consumption	≤150W	≤180W	≤200W	≤200W	
Signal input DVB-C/S/T2 TV format 1080p HDMI 3PCS x3 RF 1PC USB 1PC Optical Audio out 1PC Audio Amplifier Built-in 2 x 40 watt amplifier to drive external speakers Power input range AC 110 − 240V TV systems PAL Built-in triple tuner Digital Only Multilanguage OSD Yes Viewing angle 178 degree (178 degree (H/V) Waterproof remote control 1PC Batteries 1PC User manual 1PC Cl card Yes IP65 Yes Usage time per day 16 hours Operation temperature -20 to 60 degrees	TV dimension	974 x 584 x 66mm	1272 x 755 x 77mm	1511 x 904 x 90mm	1714 x 1007 x 87mm	1143.2mm x
TV format 1080p HDMI 3PCS x3 RF 1PC USB 1PC Optical Audio out 1PC Audio Amplifier Built-in 2 x 40 watt amplifier to drive external speakers Power input range AC 110 − 240V TV systems PAL Built-in triple tuner Digital Only Multilanguage OSD Yes Viewing angle 178 degree /178 degree (H/V) Waterproof remote control IPC Batteries IPC User manual 1PC Cl card Yes IP65 Yes Usage time per day 16 hours Operation temperature -20 to 60 degrees	Weight	20kg	29kg	39kg	54kg	70kg
HDMI 3PCS x3 RF 1PC USB 1PC Optical Audio out 1PC Audio Amplifier Built-in 2 x 40 watt amplifier to drive external speakers Power input range AC 110 − 240V TV systems PAL Built-in triple tuner Digital Only Multilanguage OSD Yes Viewing angle 178 degree (H/V) Waterproof remote control IPC Batteries 1PC User manual 1PC C1 card Yes IPA5 Yes Usage time per day 16 hours Operation temperature -20 to 60 degrees	Signal input	DVB-C/S/T2				
RF USB IPC Optical Audio out IPC Audio Amplifier Built-in 2 x 40 watt amplifier to drive external speakers Power input range AC 110 - 240V TV systems PAL Built-in triple tuner Built-in triple tuner Viewing angle I78 degree (H/V) Waterproof remote control Batteries IPC User manual IPC CI card IPC CI card IPC Usage time per day Operation temperature	TV format	1080p				
USB IPC Optical Audio out IPC Audio Amplifier Built-in 2 x 40 watt amplifier to drive external speakers Power input range AC 110 – 240V TV systems PAL Built-in triple tuner Digital Only Multilanguage OSD Yes Viewing angle 178 degree (H/V) Waterproof remote control IPC Batteries IPC User manual IPC CI card Yes IPA5 Yes Usage time per day 16 hours Operation temperature -20 to 60 degrees	HDMI	3PCS x3				
Optical Audio out Audio Amplifier Built-in 2 x 40 watt amplifier to drive external speakers Power input range AC 110 – 240V TV systems PAL Built-in triple tuner Built-in triple tuner Multilanguage OSD Yes Viewing angle 178 degree (H/V) Waterproof remote control Batteries IPC User manual IPC CI card IPC CI card IPS IP45 IP45 Viewing per day Operation temperature	RF	1PC				
Audio Amplifier Built-in 2 x 40 watt amplifier to drive external speakers Power input range AC 110 – 240V TV systems PAL Built-in triple tuner Built-in triple tuner Multilanguage OSD Yes Viewing angle 178 degree (H/V) Waterproof remote control Batteries IPC User manual IPC CI card Yes Usage time per day Operation temperature	USB	1PC				
Power input range AC 110 – 240V TV systems PAL Built-in triple tuner Digital Only Multilanguage OSD Yes Viewing angle 178 degree (178 degree (H/V) Waterproof remote control IPC Batteries IPC User manual IPC CI card Yes IP65 Yes Usage time per day 16 hours Operation temperature -20 to 60 degrees	Optical Audio out	1PC				
TV systems PAL Built-in triple tuner Digital Only Multilanguage OSD Yes Viewing angle 178 degree (178 degree (H/V) Waterproof remote control IPC Batteries IPC User manual IPC CI card Yes IP65 Yes Usage time per day 16 hours Operation temperature -20 to 60 degrees	Audio Amplifier	Built-in 2 x 40 watt amplifier to drive external speakers				
Built-in triple tuner Multilanguage OSD Yes Viewing angle 178 degree (H/V) Waterproof remote control Batteries IPC User manual IPC CI card Yes Usage time per day Operation temperature	Power input range	AC 110 – 240V				
Multilanguage OSDYesViewing angle178 degree (178 degree (H/V)Waterproof remote controlIPCBatteriesIPCUser manualIPCCI cardYesIP65YesUsage time per day16 hoursOperation temperature-20 to 60 degrees	TV systems	PAL				
Viewing angle 178 degree (178 degree (H/V) Waterproof remote control 1PC Batteries 1PC User manual 1PC Cl card Yes IP65 Yes Usage time per day 16 hours Operation temperature -20 to 60 degrees	Built-in triple tuner	Digital Only				
Waterproof remote control 1PC Batteries 1PC User manual 1PC Cl card Yes IP65 Yes Usage time per day 16 hours Operation temperature -20 to 60 degrees	Multilanguage OSD	Yes				
Batteries 1PC User manual 1PC Cl card Yes IP65 Yes Usage time per day 16 hours Operation temperature -20 to 60 degrees	Viewing angle	178 degree (178 degree (H/V)				
User manual 1PC Cl card Yes IP65 Yes Usage time per day 16 hours Operation temperature -20 to 60 degrees	Waterproof remote control	1PC				
Cl card Yes IP65 Yes Usage time per day 16 hours Operation temperature -20 to 60 degrees	Batteries	1PC				
IP65 Yes Usage time per day 16 hours Operation temperature -20 to 60 degrees	User manual	1PC				
Usage time per day 16 hours Operation temperature -20 to 60 degrees	CI card	Yes				
Operation temperature -20 to 60 degrees	IP65	Yes				
·	Usage time per day	16 hours				
Humidity 90%		-20 to 60 degrees				
	Humidity	90%				

4

4





THE LIFESTYLE PLUS OUTDOOR TV RANGE







Available as:





RS232



43" Outdoor TV



Super slim design



Secure connectivity area



Super thin bezel



700cd/m2



IP65 rated



2 year warranty

PV43LP

Max resolution	3840X2160
VESA standard	700X400mm
Aspect ratio	16:9
Contrast ratio	5000:1
Brightness	700cd/m2
Viewing angle	178 degree /178 degree (H/V)
Frame material	Brushed aluminium
Colour	Black
Max power consumption	≤170W
TV dimensions	996.8mm x 584.4mm x 93.5mm
Power input range	AC 100 – 240V
TV systems	PAL B/G/SECAM/NTSC (optional)
Signal input	Analog DVB-T/T2/\$/\$2/C
Audio system	D/K,B/G,I,M
Multilanguage OSD	Yes
HDMI	3PCS
RF	1PC

USB	2PC
Optical Audio out	1PC
Audio amplifier	Built-in 2 x 40 watt amplifier to drive external speakers
Waterproof remote control	1PC
VESA screw	4PCS
Usage time per day	16 hours
IP rating	IP65
Operating temperature	-20 to 60 degrees





THE DURASCREEN OUTDOOR TV RANGE



High Definition (HD) display



Anti-reflective screen



Eco-friendly power timer



Full HD TV tuner



Standard VESA mounting



Readable in sunlight



IP65 rated



Multiple audio/video inputs



Built-in fan cooling



LED backlight



Tempered glass



Wide viewing angle



Temperature control



2 year warranty



IDEAL FOR...



Tourist attractions



Factories



Bars & pubs



Mobile displays



Venues & events



Hotels



Shops & retail



Schools & colleges

THE DURASCREEN OUTDOOR TV RANGE



TOUGHENED GLASS

A robust design and tempered glass makes the Durascreen Outdoor TV Range one of the toughest outdoor commercial solutions on the market, ideal for public areas where vandalism maybe a concern.

EASY ACCESS FOR MAINTENANCE

Designed with ability to unlock the front panel and gain access to the inside of the unit for easy servicing and upgrading with the view of the long term solution in mind.

FAN COOLING SYSTEM

The commercial model uses built in fans to maintain control of the temperature, an effective solution to prevent the unit from overheating.

BUILT IN SPEAKERS

 $2 \times 15 \text{W}$ speakers allow for a fully integrated audio/visual experience. Audio out also available to pair with powerful outdoor speakers.



	42"	55"	65"		
Max resolution	PV42DHB 1920x1080	PV55DHB 1920x1080	PV65DHB 1920x1080		
Aspect ratio	16:9	16:9	16:9		
VESA standard	800x400mm	800x400mm	800x400mm		
Contrast ratio	3000:1	3000:1	3000:1		
	1500cd/m2	1500cd/m2	1500cd/m2		
Brightness	1300Cd/m2 ≤230W	≤280W	≤475W		
Max power consumption TV dimension	1158.7 x 852.5 x 169.5mm	1449.6 x 990.6 x 169.5mm	1689.9 x 1113.7 x 169.5mm		
Weight TV format	40kg	75kg 1080p	100kg		
Built-in tuner		DVB-T2/\$2/C			
YPbPr		1PC			
HDMI		2PCS			
RF		1PC			
RS232		1PC			
VGA		1PC			
AV		1PC			
SCART	-				
PC audio	IPC IPC				
3.5mm line out					
Juner	1PC 2PC				
Coaxial audio out	1PC				
USB	1PC				
Cl card	IPC IPC				
	YES				
Multilanguage OSD Built-in speakers		2x15W			
Power input range			AC 110 – 240V		
TV systems		PAL			
Tempered glass		YES			
Viewing angle		170 degree /160 degree (H/V)			
Waterproof remote control		1PC			
Batteries		1PC			
User manual		1PC			
Usage time per day	16-20 hours				
IP rating	16-20 nours				
Cooling system		Fans			
Operating temperature		-20 to 50 degrees			
Humidity		5-95%			
Frame material	5-95% Steel				
Colour	Black				
00.001		DIGCK			

WATERPROOF TV ENCLOSURES RANGE









IDEAL FOR...



Gardens



Bars & pubs



Indoor / outdoor swimming areas



Super yachts



Theme parks



Shopping centres



TV POD WATERPROOF ENCLOSURE





	PV43OC	PV55OC	PV65OC
	Up to 43"	Up to 55"	Up to 65"
Length (mm)	1074	1366	1586
Width (mm)	685	881	986
Depth (mm)	153	158	163
Weight (kg)	11.3	17	21

Packaging Contents

TV Pod Base Unit	x 1
TV Pod Base front case	x 1
Mounting bracket	x 1
Cable running vent	x 2
Airflow vent	x 2

Accessories (Optional)

Starter kit (Power + HDMI)	PVOC-STARTER
HDMI kit	PVOC-HDMI
RF kit	PVOC-RF
USB kit	PVOC-USB
5M power extension kit	PVOC-5MPOWER

Warranty

2 year limited warranty on electrical components

8 Year limited warranty on back case

ROBUST AND DURABLE

The back case and front cover are made from ABS/ASA (PV) with a professional, sleek finish, rendering them resistant to high impact and scratching.

FULLY SEALED WATERPROOF POD

The sealed TV Pod Plus enclosure is waterproof and can be left outside all year around. A clever yet discrete cabling management system keeps all wiring and cables free from moisture.

UV PROTECTED

Made from ABS/ASA with UV-cured protective hard coating, the latest material technology moulded in three sizes and fully UV protected to avoid any dulling, tarnishing and fading.

ANTI -THEFT

Engineered to protect you from tampering, theft or vandalism. Latches can be secured with padlocks to keep the TV/display inside the enclosure secure.

AFFORDABILITY

Put old TVs to good use as an outdoor TV. It's more cost effective to house a regular TV in a TV Pod Plus enclosure than making a long term investment in digital signage, tooling. For a short to medium term solution, using the TV Pod Plus enclosure is the most cost effective solution on the market.

LIGHTWEIGHT

Using a plastic material means the units are light in weight starting from 10kgs compared to traditional metal units

PERFORMANCE

Audio and visual experience unaffected when in use. Simply remove front case, plug and play.

MADE IN THE UK

We are proud to say we make this product in the UK which ensures we have the best quality control.

TV POD PLUS WATERPROOF ENCLOSURE



	PV43OC- PLUS	PV55OC- PLUS	PV65OC- PLUS
	Up to 43"	Up to 55"	Up to 65"
Length (mm)	1074	1366	1586
Width (mm)	685	881	986
Depth (mm)	153	158	163
Weight (kg)	10	15	20

Accessories (Optional)

Starter kit (Power + HDMI)	PVOC-STARTER
HDMI kit	PVOC-HDMI
RF kit	PVOC-RF
USB kit	PVOC-USB
5M power extension kit	PVOC-5MPOWER



Packaging Contents

TV Pod Base Unit	x 1
Anti-glare screen (with gold metal triserts pre-inserted)	x 1
Security nuts	43 x 14 55 x 18 65 x 20
40g silica gel case	x 1
Mounting bracket (Vonhaus)	x 1
Cable running vent	x 2
Airflow vent	x 2

Warranty

2 year limited warranty on electrical components

5 years limited warranty on anti-glare screen

8 Year limited warranty on back case

AFFORDABILITY

Put old TVs to good use as an outdoor TV or display. It's more costeffective to house a regular TV in a TV Pod Plus enclosure than making a long term investment in bespoke digital signage. For a short to medium term solution, using the TV Pod Plus enclosure is the most cost-effective outdoor solution on the market.

ROBUST AND DURABLE

The back case is made from ABS/ASA (PV) rendering it high impact, scratch and UV resistant with a professional sleek finish.

FULLY SEALED WATERPROOF POD

The sealed TV Pod Plus enclosure is waterproof and can be left outside all year around. A clever yet discrete cabling management system keeps all wiring and cables free from moisture.

UV PROTECTED

Made from ABS/ASA with UV-cured protective hard coating, the latest material technology moulded in three sizes and fully UV protected to avoid any dulling, tarnishing and fading.

VANDAL PROOF

The polycarbonate front screen for ultimate durability, acts as a protective barrier for the enclosed TV which is has shatter-resistant, ultra clear and anti-glare properties.

TEMPERATURE CONTROL

Optional temperature control system accessory to manage the internal TV Pod Plus temperature, protecting the TV all year round.

ANTI -THEFT

Built with tamper-proof security screws to secure the TV inside the enclosure and engineered for protection against tampering, theft or vandalism.

ANTI-GLARE SCREEN

Anti-glare optically enhanced polycarbonate.

OTHER OUTDOOR TV ACCESSORIES



Outdoor Weather Fixed TV Wall Bracket for Aire Plus & Lifestyle Plus Outdoor TV Plus PVOM01-PLUS



Power Cable for Aire Plus Outdoor TV 5M - PVOPL-PLUS-5-UK 10M - PVOPL-PLUS-10-UK



Outdoor TV Covers

42" Aire & 43" Lifestyle Outdoor TVs - COVER43-AP

55" Aire Outdoor TV - COVER55-AP

65" Outdoor TV - COVER65-AP

75" Outdoor TV - COVER75-AP



Lithe Audio Rock Speaker Single - PV01621 Pair -PV01623

THE BRITISH RACING DRIVERS CLUB CASE STUDY



The British Racing Drivers' Club is arguably, the most exclusive club in motor racing. Home to the most successful racing from Great Britain and the Commonwealth.

Those who have met the entry criteria have achieved the highest levels of the sport or made a significant contribution to enable others to do so.

The club has been responsible for developing Silverstone into a world class motor sport venue and promoting top flight motor sport there for approaching 60 years.

Proof Vision have had the absolute pleasure of supplying the club with one of our very own outdoor TV's Lifestyle Range.

Luke Evans BRDC Club Operations says "Access to the BRDC Clubhouse at Silverstone Circuit is a privilege enjoyed only by a select few. With some of the best views of the circuit from the Clubhouse roof, our members and guests are given a truly engaging experience when the cars dive into Brooklands, hug the apex at Luffield and scream out of Woodcote. For the remainder of the lap of Silverstone, spectators rely heavily on the television picture and with the overall brightness of the terrace intensified by our white canopy roof, it is essential to make sure the screens in the area are fit for purpose. Over the weekend of the 2018 Formula One Rolex British Grand Prix, the 700cd/m2 43" Lifestyle Outdoor TV by ProofVision performed exceptionally well and represented the racing action in absolute clarity.

The results when coupled with a HD feed were absolutely stunning, a huge improvement to the indoor TV screen inside a waterproof box solution that we had implemented previously."

ProofVision CEO William Uttley says "Myself and the team down here at ProofVision HQ are extremely proud and honoured to be able to provide one of our products to such a prestigious and historical club."

THE CONSTITUTION PUB CASE STUDY



The Constitution Pub is one of north London's most beloved pubs. Boasting its location overlooking the Regents Canal. The Constitution Pub remains one of the most traditional English pubs in Camden. There is always a warm welcome at The Constitution Pub.

Offering pool and dart board facilities the pub also has an outstanding beer garden which has previously won awards for best beer garden in the 'Camden in Bloom' and 'London in Bloom' competitions.

The pub offers Sky Sports and BT Sports and to enhance the viewing of these have recently installed a ProofVision outdoor screen in their beer garden.

Martin Ashley from The Constitution Pub commented,

"A big proportion of our customers are sports fans and it's been a real pleasure to provide them with new exciting ways for them to enjoy their favourite games. The ProofVision outdoor screen has been a real hit and we've seen an increase in numbers through the door. Also, the quality of the screen has been excellent. Thanks, ProofVision."

SUPER YACHT CASE STUDY



Our outdoor models are designed for any sort of environment, and what better place to have a ProofVision outdoor TV than the sun deck of luxury yacht ULYSSES.

Owain Rowlands, first officer on board Ulysses offered the following comment "After dealing with several outdoor TVs it is nice to have peace of mind after installing ProofVision's. The TV sits in all weathers in one of the worst environments and we are very happy with its performance."

The ProofVision outdoor TVs have been a very popular part of what we offer due to their ability to withstand all weathers and temperatures.

William Uttley, Managing Director of ProofVision notes "We are experiencing a strong increase in demand for our outdoor range within the luxury yacht industry, as owners are starting to recognise the demonstrable quality of our TVs in comparison to others on the market."

FAQS

Are ProofVision products safe in wet environments?

Yes. The Bathroom TVs are IP65 rated which allows them to be installed in Zone 1 (see the diagram below). Our Outdoor TVs are also IP65 rated and can be left outside all year round in temperatures ranging from -20 to 60 degrees Celsius.

What's the difference between our Premium and Professional Bathroom TVs?



Our Premium Bathroom TVs come in a variety of sizes and finishes with a high specification suitable for new bathroom installation projects. The same high specification can be found in our Professional Bathroom TVs however, they also have RS232 ideal for home automation projects.

What does the Made in Britain mark represent?


The Made in Britain mark is applicable to our Bathroom TV ranges and our Outdoor Durascreen range. It means that we part-assemble these products in the UK.

Are ProofVision products easy to install?

Yes. All our products have been designed with ease of installation in mind.

How do I install the Bathroom TVs?

The Bathroom TVs are to be installed with the use of the first fix installation kit (a black plate frame and power cable) included with each TV. The black plate frame and power cable are to be installed first, which allows the TV to drop into place within the frame. The frame is then to be sealed with a silicon sealant within the bathroom wall (see the diagram below for further information).



How do I install the Outdoor TVs?

The Outdoor TVs can be installed like any other TV - they have standard VESA holes in the back of the unit so can be mounted in the same way. There is an easy-to-access sealed connection for waterproofing the connection area. Please see the photo below for more information.



What happens if my customers' need help with their product?

We have an experienced and friendly customer service team **+44 (0) 203 4111 693** that are available Monday to Friday, 9am-5.30pm to answer any queries they may have.



ProofVision, Unit 1, Avad House, Belvue Road Northolt, London UB5 5HY

> Call: + 44 (0) 203 4111 693 Fax: +44 (0) 845 834 0822 sales@proofvision.co.uk

www.proofvision.co.uk



